

## Native Android Development (JAVA)

---

Ready to use tools for web development

Setting up Easy Host to POST cli data to a URL you want

Easy Host is a low weight .NET (Windows) host application based on CEHIDLibrary.dll

It's designed as a host application for windows applications but also can be setted up as a caller id repeater (sender) for your on-line (web) application.

When you apply the settings described below, Easy Host will send all the caller ID information it receives to a URL of you want:

1. Download EasyHost and install it with this link :

<https://www.jollypos.co.uk/storage/download/callerid/EasyHost2Setup-2.7.zip> (x86)

<https://www.jollypos.co.uk/storage/download/callerid/EasyHost2Setup-2.7.x64.zip> (x64)

2. Run EasyHost manually for a first time after installation

3. Open/Run "Regedit" and find following the key in list:

HKEY\_CURRENT\_USER\SOFTWARE\Kybele Software\CID Easy\Easy Host X.X

4. Find the value "Web Connection URL/Post Suffix" in list and update it with your own url

`http://www.xyz.com/callerid.php?caller=<CallerNumber>&devserial=<DeviceSerial>&port=<InputPort>&date=<Year><Month><Day>&time=<Hour><Minute>`

Where the www.xyz.com is your own url and callerid.php is the your own receiver script stored in your site.

\* Please do not change names in "<>"

\*\* Please remove leading "--" from Registration Key from RegEdit to active POST operation

5. Restart your PC or manually restart (stop from task manager and restart) Easy Host for activate new settings

Note : Your receiver script (callerid.php in example link) must answer the request with json (Content-Type: text/json;) like this :

```
{"RESULT":"SUCCESS"}
```

For example :

```
<?php

header('Content-Type: application/json; charset=utf-8');

$theCaller  = $_GET["caller"];
$theCallee = $_GET["callee"];
$theSerial  = $_GET["devserial"];
$theport    = $_GET["port"];
$theDate    = $_GET["date"];
$theTime    = $_GET["time"];


/**
    Your Code Goes Here
**/

echo "{\"RESULT\":\"SUCCESS\"}";

?>
```